

WHAT IS CLAIMED IS:

1. An isolated infectious chimeric respiratory syncytial virus (RSV) comprising a major nucleocapsid (N) protein, a nucleocapsid phosphoprotein (P), a large polymerase protein (L), a RNA polymerase elongation factor, and a partial or complete RSV genome or antigenome of one RSV strain or subgroup virus combined with a heterologous gene or gene segment of a different RSV strain or subgroup virus to form a chimeric RSV genome or antigenome.

2. The chimeric RSV of claim 1, wherein the chimeric genome or antigenome comprises a partial or complete human RSV genome or antigenome of one RSV subgroup or strain combined with a heterologous gene or gene segment from a different, human or non-human RSV subgroup or strain.

3. The chimeric RSV of claim 2, wherein the heterologous gene or gene segment is from a human RSV subgroup A, human RSV subgroup B, bovine RSV or murine RSV.

4. The chimeric RSV of claim 1, wherein the heterologous gene or gene segment is selected from a NS1, NS2, N, P, M, SH, M2(ORF1), M2(ORF2), L, F or G gene or gene segment.

5. The chimeric RSV of claim 4, wherein the heterologous gene or gene segment encodes a RSV F, G or SH glycoprotein or a cytoplasmic domain, transmembrane domain, ectodomain or immunogenic epitope thereof.

6. The chimeric RSV of claim 1, wherein the chimeric genome or antigenome comprises a partial or complete human RSV A subgroup genome or antigenome combined with a heterologous gene or gene segment from a human RSV B subgroup virus.

7. The chimeric RSV of claim 6, wherein the heterologous gene or gene segment from human RSV B encodes a RSV F, G or SH glycoprotein or a cytoplasmic domain, transmembrane domain, ectodomain or immunogenic epitope thereof.

238

1 8. The chimeric RSV of claim 6, wherein one or more
2 human RSV B subgroup glycoprotein genes F, G and SH or a
3 cytoplasmic domain, transmembrane domain, ectodomain or
4 immunogenic epitope thereof is substituted within a RSV A genome
5 or antigenome.

Sub-E1
1 9. The chimeric RSV of claim 8, wherein one or both
2 human RSV B subgroup glycoprotein genes F and G is substituted
3 to replace one or both counterpart F and G glycoprotein genes in
4 the RSV A genome or antigenome.

1 10. The chimeric RSV of claim 9, wherein both human
2 RSV B subgroup glycoprotein genes F and G are substituted to
3 replace the counterpart F and G glycoprotein genes in the RSV A
4 genome or antigenome.

1 11. The chimeric RSV of claim 1, wherein a first
2 heterologous gene or gene segment is substituted to replace a
3 counterpart gene or gene segment within the partial or complete
4 RSV genome or antigenome, and a second heterologous gene or gene
5 segment is added to the partial or complete RSV genome or
6 antigenome to form the chimeric RSV genome or antigenome.

1 12. The chimeric RSV of claim 1, wherein the chimeric
2 genome or antigenome is further modified by one or more
3 attenuating mutations.

1 13. The chimeric RSV of claim 12, wherein the
2 chimeric genome or antigenome incorporates at least one and up
3 to a full complement of attenuating mutations present within a
4 panel of biologically derived mutant RSV strains, said panel
5 comprising *cpts* RSV 248 (ATCC VR 2450), *cpts* RSV 248/404 (ATCC
6 VR 2454), *cpts* RSV 248/955 (ATCC VR 2453), *cpts* RSV 530 (ATCC VR
7 2452), *cpts* RSV 530/1009 (ATCC VR 2451), *cpts* RSV 530/1030 (ATCC
8 VR 2455), RSV B-1 *cp*52/2B5 (ATCC VR 2542), and RSV B-1 *cp*-23
9 (ATCC VR 2579).

1 14. The chimeric RSV of claim 12, wherein the
2 chimeric genome or antigenome incorporates at least one and up
3 to a full complement of attenuating mutations specifying a
4 temperature-sensitive amino acid substitution at Phe₅₂₁, Gln₈₃₁,
5 Met₁₁₆₉ or Tyr₁₃₂₁ in the RSV polymerase gene L, or a temperature-
6 sensitive nucleotide substitution in the gene-start sequence of
7 gene M2.

1 15. The chimeric RSV of claim 12, wherein the
2 chimeric genome or antigenome incorporates at least one and up
3 to a full complement of mutations from cold-passaged attenuated
4 RSV, said complement of mutations including mutations specifying
5 an amino acid substitution at Val₂₆₇ in the RSV N gene, Glu₂₁₈ or
6 Thr₅₂₃ in the RSV F gene, Cys₃₁₉ or His₁₆₉₀ in the RSV polymerase
7 gene L.

1 16. The chimeric RSV of claim 1, wherein each of the
2 human RSV B subgroup glycoprotein genes F and G is added or
3 substituted within a human RSV A genome or antigenome to form
4 the chimeric genome or antigenome, which is further modified to
5 incorporate one or more attenuating mutations.

1 17. The chimeric RSV of claim 16, wherein both human
2 RSV B subgroup glycoprotein genes F and G are substituted to
3 replace counterpart F and G glycoprotein genes within an RSV A
4 genome or antigenome to form the chimeric genome or antigenome,
5 which is further modified to incorporate attenuating point
6 mutations selected from (i) a panel of mutations specifying
7 temperature-sensitive amino acid substitutions at Gln₈₃₁ and
8 Tyr₁₃₂₁ in the RSV polymerase gene L; (ii) a temperature-sensitive
9 nucleotide substitution in the gene-start sequence of gene M2;
10 (iii) an attenuating panel of mutations adopted from cold-
11 passaged RSV specifying amino acid substitutions Val₂₆₇ Ile in
12 the RSV N gene, and Cys₃₁₉ to Tyr and His₁₆₉₀ Tyr in the RSV
13 polymerase gene L; or (iv) a deletion of the SH gene.

Sub. 817

1 18. The chimeric RSV of claim 12, wherein the
2 chimeric genome or antigenome incorporates at least two
3 attenuating mutations.

1 19. The chimeric RSV of claim 18, wherein the
2 chimeric genome or antigenome incorporates attenuating mutations
3 adopted from different biologically derived mutant RSV strains.

1 20. The chimeric RSV of claim 12, wherein the
2 chimeric genome or antigenome includes at least one attenuating
3 mutation stabilized by multiple nucleotide changes in a codon
4 specifying the mutation.

1 21. The chimeric RSV of claim 1, formulated in a dose
2 of 10^3 to 10^6 PFU of attenuated virus.

1 22. The chimeric RSV of claim 1 further comprising a
2 nucleotide modification specifying a phenotypic change selected
3 from a change in growth characteristics, attenuation,
4 temperature-sensitivity, cold-adaptation, plaque size, host-
5 range restriction, or a change in immunogenicity.

1 23. The chimeric RSV of claim 22, wherein a SH, NS1,
2 NS2, M2ORF2, or G gene is modified.

1 24. The chimeric RSV of claim 23, wherein the SH,
2 NS1, NS2, M2ORF2, or G gene is deleted in whole or in part or
3 expression of the gene is ablated by introduction of one or more
4 stop codons in an open reading frame of the gene:

1 25. The chimeric RSV of claim 22, wherein the
2 nucleotide modification comprises a nucleotide deletion,
3 insertion, substitution, addition or rearrangement of a
4 cis-acting regulatory sequence of a selected RSV gene within the
5 chimeric RSV genome or antigenome.

1 26. The chimeric RSV of claim 25, wherein the
2 cis-acting regulatory sequence of the selected RSV gene is

3 changed to correspond to a heterologous regulatory sequence
4 comprising a counterpart cis-acting regulatory sequence of the
5 selected RSV gene from a different RSV subgroup or strain or a
6 cis-acting regulatory sequence of a different RSV gene.

1 27. The chimeric RSV of claim 25, wherein a gene end
2 (GE) signal of the NS1 or NS2 gene is modified to correspond to
3 the GE signal of the RSV N gene.

1 28. The chimeric RSV of claim 22, wherein the
2 nucleotide modification comprises an insertion, deletion,
3 substitution, or rearrangement of a translational start site
4 within the chimeric genome or antigenome.

1 29. The chimeric RSV of claim 28, wherein the
2 translational start site for a secreted form of the RSV G
3 glycoprotein is ablated.

1 30. The chimeric RSV of claim 22, wherein the
2 chimeric genome or antigenome is modified to encode a non-RSV
3 molecule selected from a cytokine, a T-helper epitope, a
4 restriction site marker, or a protein of a microbial pathogen
5 capable of eliciting a protective immune response in a mammalian
6 host.

1 31. The chimeric RSV of claim 22, which incorporates
2 a gene or gene segment from parainfluenza virus (PIV).

1 32. The chimeric RSV of claim 31, wherein the gene or
2 gene segment encodes a PIV HN or F glycoprotein.

1 33. The chimeric RSV of claim 32, wherein the gene
2 segment encodes a cytoplasmic tail, transmembrane domain,
3 ectodomain or immunogenic epitope of HN or F of PIV1, PIV2, or
4 PIV3.

1 34. The chimeric RSV of claim 1, wherein the chimeric
2 genome or antigenome comprises a partial or complete human RSV

genome or antigenome combined with an attenuating, heterologous gene or gene segment from a bovine or murine RSV.

~~35~~

35. The chimeric RSV of claim 1 which is a virus.

~~36. The chimeric RSV of claim 1 which is a subviral particle.~~

~~37. A method for stimulating the immune system of an individual to induce protection against RSV which comprises administering to the individual an immunologically sufficient amount of the chimeric RSV of claim 1 combined with a physiologically acceptable carrier.~~

38. The method of claim 37, wherein the chimeric RSV is administered in a dose of 10^3 to 10^6 PFU.

39. The method of claim 37, wherein the chimeric RSV is administered to the upper respiratory tract.

40. The method of claim 37, wherein the chimeric RSV is administered by spray, droplet or aerosol.

41. The method of claim 37, wherein the chimeric RSV is administered to an individual seronegative for antibodies to RSV or possessing transplacentally acquired maternal antibodies to RSV.

42. The method of claim 37, wherein the chimeric RSV is a chimera of human RSV A and RSV B which elicits an immune response against either human RSV A or RSV B.

43. The method of claim 37, wherein the chimeric RSV is a chimera of human RSV A and RSV B which elicits an immune response against both human RSV A and RSV B.

44. The method of claim 37, wherein the chimeric RSV is a chimera of human RSV A and RSV B which elicits an immune

3 response against either human RSV A or RSV B and is co-
4 administered with an immunologically sufficient amount of a
5 second attenuated RSV capable of eliciting an immune response
6 against human RSV A or RSV B, whereby an immune response is
7 elicited against both human RSV A or RSV B.

1 45. The method of claim 44, wherein the chimeric RSV
2 and second attenuated RSV are administered simultaneously as a
3 mixture.

1 46. An immunogenic composition to elicit an immune
2 response against RSV comprising an immunologically sufficient
3 amount of the chimeric RSV of claim 1 in a physiologically
4 acceptable carrier.

1 47. The immunogenic composition of claim 46,
2 formulated in a dose of 10^5 to 10^6 PFU.

1 48. The immunogenic composition of claim 46,
2 formulated for administration to the upper respiratory tract by
3 spray, droplet or aerosol.

1 49. The immunogenic composition of claim 46, wherein
2 the chimeric RSV is a chimera of human RSV A and RSV B which
3 elicits an immune response against either human RSV A or RSV B.

1 50. The immunogenic composition of claim 46, wherein
2 the chimeric RSV is a chimera of human RSV A and RSV B which
3 elicits an immune response against both human RSV A and RSV B.

1 51. The immunogenic composition of claim 46, wherein
2 the chimeric RSV is a chimera of human RSV A and RSV B which
3 elicits an immune response against either human RSV A or RSV B
4 and wherein the composition further comprises an immunologically
5 sufficient amount of a second attenuated RSV capable of
6 eliciting an immune response against human RSV A or RSV B,
7 whereby the composition elicits an immune response against both
8 human RSV A or RSV B.

1 52. An isolated polynucleotide molecule comprising a ✓
2 chimeric RSV genome or antigenome which includes a partial or
3 complete RSV genome or antigenome of one RSV strain or subgroup
4 virus combined with a heterologous gene or gene segment of a
5 different RSV strain or subgroup virus.

1 53. The isolated polynucleotide molecule of claim 52,
2 wherein the chimeric genome or antigenome comprises a partial or
3 complete human RSV genome or antigenome of one RSV subgroup or
4 strain combined with a heterologous gene or gene segment from a
5 different, human or non-human RSV subgroup or strain.

1 54. The isolated polynucleotide molecule of claim 52,
2 wherein the heterologous gene or gene segment is from a human
3 RSV subgroup A, human RSV subgroup B, bovine RSV, avian RSV, or
4 murine RSV.

1 55. The isolated polynucleotide molecule of claim 52,
2 wherein the heterologous gene or gene segment encodes a RSV F, G
3 or SH glycoprotein or a cytoplasmic domain, transmembrane
4 domain, ectodomain or immunogenic epitope thereof.

1 56. The isolated polynucleotide molecule of claim 52,
2 wherein the chimeric genome or antigenome comprises a partial or
3 complete human RSV A subgroup genome or antigenome combined with
4 a heterologous gene or gene segment from a human RSV B subgroup
5 virus.

1 57. The isolated polynucleotide molecule of claim 52,
2 wherein one or both human RSV B subgroup glycoprotein genes F
3 and G is substituted to replace one or both counterpart F and G
4 glycoprotein genes in the RSV A genome or antigenome.

1 58. The isolated polynucleotide molecule of claim 57,
2 wherein both human RSV B subgroup glycoprotein genes F and G are
3 substituted to replace the counterpart F and G glycoprotein
4 genes in the RSV A genome or antigenome.

1 59. The isolated polynucleotide molecule of claim 52,
2 wherein the chimeric genome or antigenome is further modified by
3 one or more attenuating mutations.

1 60. The isolated polynucleotide molecule of claim 52,
2 wherein both human RSV B subgroup glycoprotein genes F and G are
3 substituted to replace counterpart F and G glycoprotein genes
4 within an RSV A genome or antigenome to form the chimeric genome
5 or antigenome, which is further modified to incorporate
6 attenuating point mutations selected from (i) a panel of
7 mutations specifying temperature-sensitive amino acid
8 substitutions Gln₈₃₁ to Leu and Tyr₁₃₂₁ to Asn in the RSV
9 polymerase gene L; (ii) a temperature-sensitive nucleotide
10 substitution in the gene-start sequence of gene M2; (iii) an
11 attenuating panel of mutations adopted from cold-passaged RSV
12 specifying amino acid substitutions Val₂₆₇ Ile in the RSV N gene,
13 and Cys₃₁₉ to Tyr and His₁₆₉₀ Tyr in the RSV polymerase gene L; or
14 (iv) a deletion of the SH gene.

1 61. The isolated polynucleotide molecule of claim 52,
2 further comprising a nucleotide modification specifying a
3 phenotypic change selected from a change in growth
4 characteristics, attenuation, temperature-sensitivity,
5 cold-adaptation, plaque size, host-range restriction, or a
6 change in immunogenicity.

1 62. The isolated polynucleotide molecule of claim 61,
2 wherein a SH, NS1, NS2, M2ORF2, or G gene is modified.

1 63. The isolated polynucleotide molecule of claim 61,
2 wherein the nucleotide modification comprises a nucleotide
3 deletion, insertion, addition or rearrangement of a cis-acting
4 regulatory sequence of a selected RSV gene within the chimeric
5 RSV genome or antigenome.

1 64. A method for producing an infectious attenuated ✓
2 chimeric RSV particle from one or more isolated polynucleotide
3 molecules encoding said RSV, comprising:

Sub 61
AB

4 expressing in a cell or cell-free lysate an expression
5 vector comprising an isolated polynucleotide comprising a
6 chimeric RSV genome or antigenome and RSV N, P, L and RNA
7 polymerase elongation factor proteins.

1 65. The method of claim 64, wherein the chimeric RSV
2 genome or antigenome and the N, P, L and RNA polymerase
3 elongation factor proteins are expressed by two or more
4 different expression vectors.

Sub E17